



NERVOUS ENERGY (1 OF 3)

BACKGROUND


Nerve impulses travel from one neuron (nerve cell) to another in the form of electrical signals. Each neuron consists of a cell body, short threadlike projections called dendrites, and one longer thread called an axon. The electrical signals are received by the dendrites of a neuron and then passed along the axon to the dendrites of adjacent neurons.

SCE KIDS


sce.com/kids

Interestingly, axons and dendrites don't actually touch. There is a space between them, called a synapse. So how does the electrical signal "jump" the gap? You could say the energy changes form. The electrical current causes chemicals in the axon tip to be released. These chemicals, called neurotransmitters, flow across the synapse and lock on to the dendrite of the next neuron, where they cause new electrical signals to be generated and passed on in the same manner.

You can use common electronic components to model how nerve impulses get relayed from one neuron to another in the body.



ADVANCED EXPERIMENT












NERVOUS ENERGY (2 OF 3)



- 2 You should have two circuits. The circuit on the left contains batteries, wire, and an LED. The circuit on the right contains batteries, wire, a phototransistor, and a buzzer. Electricity travels in a loop called a circuit. Every circuit has an energy source, wires, a load, and a switch.
- **3** Line up the LED with the phototransistor, leaving about a half-inch of space between them. Then touch the end of the loose red wire to the long lead of the LED. The LED should light up and the buzzer should sound. If the buzzer doesn't sound, check the alignment of the LED and the phototransistor and then repeat until it does.







NERVOUS ENERGY (3 OF 3)

QUESTIONS

Congratulations. You've just modeled how nerve impulses get transmitted from one neuron to the next. Now test your understanding by answering the following questions.

-